

UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
08/900,360	07/25/1997	WELLS OBRECHT	2569-0103P	8032
2292	7590 10/19/2004	EXAMINER		INER
BIRCH STEWART KOLASCH & BIRCH			MEINECKE DIAZ, SUSANNA M	
PO BOX 747 FALLS CHURCH, VA 22040-0747			ART UNIT	PAPER NUMBER
	22010 0711	3623		
		DATE MAILED: 10/19/2004		

Please find below and/or attached an Office communication concerning this application or proceeding.

Page 2

Application/Control Number: 08/900,360

Art Unit: 3623

Acknowledgement of Reply Brief

1. The reply brief filed October 7, 2004 has been entered and considered. The application has been forwarded to the Board of Patent Appeals and Interferences for decision on the appeal.

Appellant has requested an oral hearing. Examiner waives her right to present arguments at the oral hearing.

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Susanna M. Diaz whose telephone number is (703) 305-1337. The examiner can normally be reached on Monday-Friday, 9 am - 5 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tariq Hafiz can be reached on (703) 305-9643.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Receptionist whose telephone number is (703)308-1113.

Any response to this action should be mailed to:

Commissioner for Patents P.O. Box 1450 Alexandria, Virginia 22313-1450

or faxed to:

(703)305-7687

[Official communications; including After Final communications labeled

"Box AF"]

(703)746-7048

[Informal/Draft communications, labeled

"PROPOSED" or "DRAFT"]

Application/Control Number: 08/900,360

Art Unit: 3623

Hand delivered responses should be brought to Crystal Park 5, 2451 Crystal Drive, Arlington, VA, 22202, 7th floor receptionist.

Susanna M. Diaz Primary Examiner Art Unit 3623 October 16, 2004